

BASUDEV GODABARI DEGREE COLLEGE, KESAIBAHAL

From...
Principal
B. G. D. College, Kesaibahal
At / P. O. : Kesaibahal (768228)
District : Sambalpur (O)



"ESTD : 1997 - 1998"

Registered under the society Registration Act - XXI of 1860 SBL No. 5150-7 of 1999 - 2000

University Code : 124
DHE Code : 28019301
Situating on the "SH-24"
Phone / Office : 9438000807
e-mail : bgdegreecollege@gmail.com

Letter No. : 258/25

Date : 31/05/2025

To

The Editor,
The Prameya,
Sambalpur Regional Office.

Sub: Publication of tender call notice.

Sir,

Kindly publish tomorrow dt.01-06-2025 the enclosed tender call notice in your esteemed newspaper in all Odisha level for wide publication of the tender call notice of Basudev Godavari Degree College Kesaibahal.



**OFFICE OF THE PRINCIPAL
BASUDEV GODABARI DEGREE COLLEGE,
KESAIBAHAL, SAMBALPUR, 768228**

"TENDER CALL NOTICE"


Sealed quotations are invited from registered Firms/ Vendors/ Distributors/ Suppliers/ authorised dealers having valid GST registration and PAN/ TIN for supply and installation of IT equipments at the college premises as per Ref. No.-202469785168k Govt. of Odisha, Dept. of Higher Education dt. 05-03-2025. Interested entities are requested to submit their sealed quotations to the undersigned by speed post on or before dt. 17-06-2025 at 05.00 pm positively. The sealed quotation will be opened on dt. 18-06-2025 in the college office at 10.00 am.

The details of terms and conditions for tender are available in the College website www.bgdccollege.in.

Sd/- Principal, BGD College, Kesaibahal
Contact No. - 9438000807/ 9937200771

This is for your kind information and necessary action.

Yours faithfully


Principal 31/05/2025
Basudev Godabari Degree College
KESAIBAHAL, SAMBALPUR, 768228

BASUDEV GODABARI DEGREE COLLEGE, KESAIBAHAL

From...
Principal
B. G. D. College, Kesaibahal
At / P. O. : Kesaibahal (768228)
District : Sambalpur (O)



University Code : 124
DHE Code : 28019301
Situating on the "SH-24"
Phone / Office : 9438000807
e-mail : bgdegreecollege@gmail.com

"ESTD : 1997 – 1998"


Registered under the society Registration Act – XXI of 1860 SBL No. 5150-7 of 1999 - 2000

Letter No. : _____

Date : _____

TENDER NOTICE

Sealed Limited Tenders are invited from intending Manufacturers/ Firms/Suppliers/Authorized Dealers having PAN & GST registration Number for supply of Desktop, UPS, MFM Printer, LED TV & Wireless mice and Camera for College by Speed Post/Registered Post/Courier on or before dt.17-06-2025 (Separate Tender & Documents must be submitted for different items). The above limited tender call notice as per finance and procurement guidelines of OGFR-2023, Govt. of Odisha. The undersigned reserves the right to reject/cancel any or all the quotations without specifying any reason thereof. The items shall be purchased from IT Infrastructure Grant under D.H.E, Govt. of Odisha. The details of the requirements with specifications, terms and conditions are available in the college website- www.bgdcollege.in


31/05/2025

Principal

Basudev Godabari Degree College
KESAIBAHAL, SAMBALPUR, 768228

BASUDEV GODABARI DEGREE COLLEGE, KESAIBAHAL

From...
Principal
B. G. D. College, Kesaibahal
At / P. O. : Kesaibahal (768228)
District : Sambalpur (O)



"ESTD : 1997 – 1998"

Registered under the society Registration Act – XXI of 1860 SBL No. 5150-7 of 1999 - 2000

University Code : 124
DHE Code : 28019301
Situating on the "SH-24"
Phone / Office : 9438000807
e-mail : bgdegreecollege@gmail.com

Letter No. : _____

Date : _____

TENDER NOTICE

Sealed Limited Tenders are invited from intending Manufacturers/Firms/Suppliers/Authorized Dealers having PAN & GST registration Number for supply of Desktop, UPS, MFM Printer, LED Tv & Wireless mice and Camera for College. The above limited tender call notice as per finance and procurement guidelines of OGFR 2023, Govt. of Odisha. The undersigned reserves the right to reject/cancel any or all the quotations without specifying any reason thereof. The items shall be purchased from IT Infrastructure Grant under D.H.E, Govt. of Odisha. The details of the requirements with specifications, terms and conditions are given below:

Details List of Items Given Below

Sl. No.	Services/ Goods to be Procured	Quantity	Specification
01	Desktop	12	13 th Gen. & above Desktop
02	UPS	12	UPS with 03yrs onsite warranty
03	MFM Printer	02	MFM Printer with 03yrs onsite warranty
04	LED TV	01	LED TV (65 inch) with 03yrs onsite warranty
05	Wireless Mice & Camera For Virtual Meeting	01	Installation with 03yrs onsite warranty

NB : Details specification attach herewith.

D 31/05/2025
Principal

Basudev Godabari Degree College
KESAIBAHAL, SAMBALPUR, 768228

BASUDEV GODABARI DEGREE COLLEGE, KESAIBAHAL

From...
Principal
B. G. D. College, Kesaibahal
At / P. O. : Kesaibahal (768228)
District : Sambalpur (O)



"ESTD : 1997 – 1998"

Registered under the society Registration Act – XXI of 1860 SBL No. 5150-7 of 1999 - 2000


University Code : 124
DHE Code : 28019301
Situating on the "SH-24"
Phone / Office : 9438000807
e-mail : bgdegrecollege@gmail.com

Letter No. : _____

Date : _____

Terms and Conditions

- 1) **Mode of Submission:** Proposals complete in all respect should be submitted through Speed Post/ Registered Post to The Office of the Principal, Basudev Godabari Degree College, Kesaibahal At/ Po: Kesaibahal, District: Sambalpur, PIN- 768228 on or before dt. 17-16-2025 along with the cost of RFP (request for proposal) that is Rs.1000/- to be submitted along with the bid in shape of Demand Draft in favour of Principal, Basudev Godabari Degree College, Kesaibahal, payable at HDFC Bank, Kuchinda Branch, bearing the account number: 50200042546680, IFSC Code: HDFC0009002.
- 2) **Earnest Money Deposit (EMD):** EMD (also known as Bid Security) is to be submitted by the bidder along with the bid in shape of either account payee demand draft or fixed deposit receipt or banker's cheque or bank guarantee in favour of Principal, Basudev Godabari Degree College, Kesaibahal, payable at HDFC Bank, Kuchinda Branch, bearing the account number: 50200042546680, IFSC Code: HDFC0009002.
- 3) The amount of EMD to be submitted by the bidder is 02% of the estimated value of the Procurement the Bidder registered in MSME, Govt. of Odisha are exempted from earnest money deposit.
- 4) The Bid securities/EMD will be returned to the unsuccessful bidders after expiry of the final bid validity period or within 07 working days from the date of issue of the work order whichever is earlier without any interest and the EMD of the successful bidders will be returned without any interest after deposit of performance security which is 05% of bid value. However, if so, desired it can be adjusted against part of performance security. The performance security deposit will be retained till completion of the warranty period. The return shall carry no interest.
- 5) The bidders have to furnish the following documents (as per relevance and estimated value) along with the bid proposal.
 - a) Separate Tenders and Documents must be submitted for different items.
 - b) Filled in Format-I and Format-II.
 - c) GST Registration Certificate.
 - d) Authorization Certificate from the manufacturer.
 - e) PAN Card of the firm.
 - f) Income tax return of preceding 3 financial years.
- 6) Opening of Technical and Financial Bid the Technical proposal will be opened on dt. 18.06.2025 at 10.00 am and the financial bid will be opened on dt. 18.06.2025 at 10.00 am.


Principal

Basudev Godabari Degree College
KESAIBAHAL, SAMBALPUR, 768228

Desktop Specification

Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	13 Or higher
Processor Description	Intel Core i3 or higher
Processor Number	Intel Core i3 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIMM Slots)
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher
Integrated Graphics	Intel UHD Graphics 770 or higher
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes
Type of Drives used to populate the Internal Bays	NVMe SSD
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	512GB NVMe SSD
Optical Drive	Optional
Drive Bays	Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height), 2 M.2 slots for WLAN & SSD
LAN	LAN: Integrated 10/100/1000M
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0
Firmware Trusted Platform Module	TPM 2.0
Hardware Security lock slot	Security lock slot
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency
Certification	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required
	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate
	Microsoft Windows, Energy star 8.0 certified
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.
Keyboard Mouse	USB Keyboard; USB Optical Mouse
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
Years of Warranty	3 Year Onsite Warranty

600 VA Line Interactive UPS Specifications		
Sl. No.	Feature	General Specifications
1	UPS Capacity (total)	600VA/360W
2	Input Voltage	230 VAC nominal
3	Input Frequency	45 - 65 Hz
4	Brownout Transfer	145 VAC typical
5	Over voltage Transfer	290 VAC typical
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)
7	Frequency - On Battery	50Hz typical
8	Transfer Time	@50 Hz 6 ms typical, 10 ms max
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also
13	AC Surge Protection	Full time, 160 joules
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference
15	Type (maintenance-free)	12V, 7.2 Ah
16	Typical recharge time	4-6 hours
17	Operating Temperature	0°C to 40°C
18	Storage Temperature	-15°C to 45°C
19	3 power outlets	With battery backup and surge protection
20	Power Cord	1.2 meters
21	Runtime for Single PC load (60W $\pm$ 15W)	27 min (normal mode)
22	Runtime for Workstation PC (100W $\pm$ 15W)	13 min (normal mode)
23	Battery Saver (to save on battery life)	Thru toggle button on front panel
24	Certification	BIS
25	Designed and Manufactured in India	Yes
26	Warranty	2 years

Generic	
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
Printing	
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
Scanning	
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
COPYING	
Reduction and Enlargement Feature	Yes

PAPER HANDLING	
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40
Number of Main Paper Tray	1
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port, Ethernet Port, Wi-Fi
Accessories Provided	USB Cable
Performance	
Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	700
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000
POWER	
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz
Maximum Power Consumption (in Watt)	1300
Environmental	
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (Degree C)	30

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
Dimension	
Standard Machine Weight with Single Tray (in Kg)	11
Certification	
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

General Features	Screen Size	65
	Brightness (cd/m ²)	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)
	Aspect Ratio	16:9
	Portrait/Tilt Compatibility	Yes
Display features	Dimming type	Frame Dimming
	Display Device	LCD
	Panel Type	IPS
	Backlight type	Direct LED
	Color gamut (NTSC)	69%
	Operation time	16/7
	Haze (%)	1 %
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	178 (89/89) degree
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p, 480i
Audio Specs	Speaker Position	Down Firing
	Audio Power Output	10W + 10W
Professional features	Pro settings	Yes (Simple Pro settings menu)
	HDMI auto wake-up	Yes
	Operating System	Android TV
	On-board Storage (GB)	16GB
Network Specs	RAM	3GB
	Wi-Fi Certified	Yes
	Wireless LAN	Integrated
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
	On Screen Clock	Yes
	Sleep Timer	Yes
	On/Off Timer	Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
Control Specs	IP Control	Yes
	RS-232C Control	Yes
	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3)
	Composite Video Input (s)	1 (Side, Mini jack)

Inputs and outputs	HDMI inputs total	3 (3Side)
	Analog Audio Input (s) (Total)	1 (Side Analog Conversion)
	Digital Audio Output (s)	1 (Side)
	USB ports	2 (Side)
	Ethernet inputs	1 (Side)
Design features	VESA® Hole Pitch (W x H)	300 x 300 mm
Environment Specs	Rated Power Consumption	226W
	Power Consumption (in Standby)	0.5 W
	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	Yes
Measurements	Dimension of TV without Stand (W x H x D)	1462 x 842 x 71 mm
	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
Weight	Weight of TV without Stand	20.4 kg
	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

+91
8448449073

care@industrybuying.com



Offers: GST Benefits, Become a Seller, Bulk Order, FAQs, Track Order

Shop By
Category

Industrybuying

Search Products by title, sku, category, brand etc.



Login



Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Share

Bulk Discount

Ships within 3 days

Logitech Master Series Graphite MX Brio 4K
Ultra Hd Web Camera, 960-001548

Visit the Logitech Store

POWER BRAND

EMI starts at ₹2202/month. No Cost EMI available.
EMI options

AVAILABLE OFFERS

View Offers

- Get up to ₹4,000* on a min. order value of ₹8,400.
First-time GST users only. T&C apply.
[View](#)
- Get up to ₹2,500* on a min. order value of ₹8,400.
First-time B2B users only. T&C apply.
[View](#)

FEATURES

More Details

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation

[More Logitech WEBCAM products](#)
[More WEBCAM products](#)
Warranty as per
brand100% Original
ProductsSecure
payments100% Buyer
protectionTop
Brands

SPECIFICATIONS

DESCRIPTION

Country of Origin	Switzerland
Connectivity	USB-C to USB-C Cable
Focus Type	Advanced Autofocus
Package Contains	MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation
Microphone Type	Dual Beamforming
Width	98 mm
Zoom	4x Digital Zoom
Type of Product	Web Camera
Part No	MXB040000PT
Height	44 mm
Weight	137 g
Lens Type	Glass
Interface	USB 3.0
Color	Graphite
Resolution	4K/30 fps, 1080p/60 fps
Image Sensor	6.5 MP Sony STARVIS
Model No	960-001548

₹24,779 (incl. of all taxes)

₹20,999 • 18% GST

GST: ₹4,999 • 0.88% GST

 - + Minimum
Order Quantity: 1

Bulk quantity Discounts!!

Select	Quantity	Discounted price per piece (incl. of all taxes)
☐	2-3	₹21,980.14
☐	4-5	₹21,740.53
☐	6-7	₹21,500.93
☐	8-more	₹21,341.19

ADD TO CART

BUY NOW

Request
a
CallbackGet
Customized
PriceConnect
with a
Product
Expert

Check Delivery Details

Enter Pincode

Check

PREPAID Available

PART COD Unavailable

COD Available

RETURN Available
Return
period: 7
days

Need help with your purchase?

We'll help you with your purchase.

Call Now

FORMAT 1: ORGANISATION'S DETAILS

Sl. No.	Particular	Details
1	Name of the Firm	
2	Type of Firm (Proprietary/Partnership) Pvt. Ltd/ Public Ltd/Sole Proprietor ship	
3	Date of Establishment and Experience in business (in number of years)	
4	Registered Office Address & Complete Postal Address	
5	Telephone & e-mail id of authorized person	
6	G.S.T. Registration No.	
7	PANNo.	
8	Details of EMD i.e. Draft No.,Date and Bank Name	
9	Details of RFP i.e. Draft No.,Date and Bank Name	

Yours faithfully,

Authorised Signatory of the firm
with date and seal

FORMAT 2: SELF DECLARATION FOR NOT BLACK LISTED

To

The Principal,

Basudev Godabari Degree College, Kesaibahal, Sambalpur, 768228

Sub: - Self-declaration for not being blacklisted.

Sir,

I/We hereby confirm that our firm has not been banned/ blacklisted/ debarred/suspended by the World Bank/Central Govt/State Govt/ Central or State PSU Organisation / Central or State Govt. Universities or Colleges.

Yours faithfully,

Authorised Signatory of the firm
with date and seal